


Obsessive Compulsive Disorder (OCD)

What is it?

Obsessive Compulsive Disorder (OCD) is a type of anxiety disorder that causes a child to be stuck in a cycle of distressing thoughts (obsessions), and as a result need to carry out rituals or habits (compulsions). These compulsions may temporarily make the child feel better. However, this is usually short-lived. Some obsessive thoughts and behaviours may have limited impact on functioning and be part of normal development and/or response to stress. To be diagnosed as OCD, obsessions and compulsions must cause distress and interfere with everyday life. The focus of OCD can vary, but may include dirt/contamination, danger, or specific time-conscious actions.



According to OCD UK, the onset of OCD varies across a range of ages, with some children as young as six developing the disorder. OCD UK reports that 25% of cases begin by age 14, and symptoms tend to become problematic during late adolescence in men and early adulthood in women (OCD UK).

Signs and Symptoms

OCD symptoms can be divided into obsessions and compulsions. Examples include:

Common OCD symptoms in children

Obsessions

- ☒ Contamination themes
- ☒ Harm to self or others
- ☒ Aggressive themes
- ☒ Sexual themes
- ☒ Scrupulosity/religiosity
- ☒ Forbidden thoughts
- ☒ Symmetry urges
- ☒ Need to tell, ask, confess

Compulsions

- ☒ Washing or cleaning
- ☒ Repeating
- ☒ Checking
- ☒ Touching
- ☒ Counting
- ☒ Ordering/arranging
- ☒ Hoarding
- ☒ Praying

OCD can appear different in different people, but some examples include:

- Having to do something multiple times (e.g. turning lights on and off)
- Repetitive hand-washing, or avoiding dirt
- Distress if not able to complete rituals – rituals can be mental or physical
- The need for everything to be 'just right' (chair at certain angle, colours in a certain pot)
- Worrying that something bad is going to happen

Suggestions for Parents

If you are concerned that your child might have OCD, it would be helpful to visit the GP. The GP will be able to discuss options with you and refer your child to appropriate mental health services.

However, there are some things you can do to help manage your child's distress.

- **Communicate with your child:** Let them know that you are here to help and reassure them that if they want to talk to anyone at any time, this is okay. Often, children with OCD will hide their obsessive thoughts for fear of someone not understanding. If you are able to provide a safe space where they can talk freely and without judgment, they may find it easier to manage the compulsions.
- **Support with coping skills:** Try to support them with coping techniques that might help to manage their anxiety. Breathing exercises and muscle relaxation can be useful.
- **Be aware of triggers:** Knowing what your child's OCD is focused on can help you to be aware of potential triggers. For example, if your child's OCD centres around dirt and contamination, paying close attention during play times or play outdoors may help you to notice if distress is becoming too much. It may be helpful to ask them if they are okay or need some time out.
- **Praise task success:** Provide them with appropriate praise for successfully completed homework or chores at home, and positive behaviour. Try to ignore frequent requests for reassurance.
- **Model acceptance of mistakes:** It can be helpful to model to them the acceptance of mistakes. This can help children to manage their anxiety around mistakes, and to understand that we all make mistakes and it is okay to ask for help.
- **Extra time for chores/homework/tasks:** Children with OCD may find it difficult to concentrate and may need extra time to complete tasks like chores, homework, and even play activities. Doing this can help to reduce anxiety.
- **Break down tasks and activities:** Breaking down complex tasks and activities into smaller steps can help children to feel less overwhelmed. Set small, manageable goals and keep checking in.
- **Notify in advance of any upcoming changes to routine:** Children may struggle with a change in routine. If a child has OCD, they may find this particularly overwhelming. Changes to routine can cause them to resort back to their obsession/compulsion behaviours in order to feel safe.

Useful websites / Resources



Further information and examples of different types of OCD

<https://childmind.org/guide/a-teachers-guide-to-ocd-in-the-classroom/>

Examples of obsessive and compulsive behaviours and how they may present

<https://adaa.org/understanding-anxiety/obsessive-compulsive-disorder/ocd-at-school>

Research paper on OCD in the classroom including useful strategies

https://www.researchgate.net/publication/249832670_Teaching_Students_With_Obsessive-Compulsive_Disorder

NHS Self Help Booklet

<https://www.anxietyuk.org.uk/wp-content/uploads/2010/06/Obsessive-Compulsive-Disorder-A-young-persons-self-help-guide.pdf>

NHS Parent/Carer Guidance Booklet

<https://www.anxietyuk.org.uk/wp-content/uploads/2010/06/Helping-your-child-with-Obsessive-Compulsive-Disorder.pdf>

This document is available in Welsh / Mae'r ddogfen hon ar gael yn Gymraeg



GIG
CYMRU
NHS
WALES
Bwrdd Iechyd Prifysgol
Caerdydd a'r Fro
Cardiff and Vale
University Health Board

Resilience
Project
Prosiect
Gwydnwch



Llywodraeth Cymru
Welsh Government



Cardiff & Vale of Glamorgan
INTEGRATED HEALTH
& SOCIAL CARE PARTNERSHIP
PARTNERIAETH IECHYD
& GOFAL CYMDEITHASOL INTEGRIG
Caerdydd & Bro Morgannwg