



GIG
CYMRU
NHS
WALES

Bwrdd Iechyd Prifysgol
Caerdydd a'r Fro
Cardiff and Vale
University Health Board

IMMUNOLOGY TEST REPERTOIRE

Department of Medical Biochemistry and Immunology
University Hospital of Wales
Heath Park
Cardiff
CF14 4XW

Immunology Department Open Monday – Friday 08.45 am to 17:15 pm

For Laboratory general enquiries Tel. 029 21848350

Contact:- Leanne Grant (Lead Biomedical Scientist in Immunology) leanne.grant@wales.nhs.uk

For clinical advice contact:

Dr Tariq El-Shanawany	-	Consultant Clinical Immunologist
Professor Stephen Jolles	-	Consultant Clinical Immunologist
Dr Richard Cousins	-	Consultant Clinical Immunologist

Consultants' secretaries Tel 029 21845814 or 029 21848358

Assay	Sample requirement (ml)	Sample handling /Transport	Methodology	Reference range	Turnaround Time (target working days)	EQA	Clinical Utility
ANA	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	U.K.NEQAS Sheffield	Suspected CTD/SLE
Centromere	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	U.K.NEQAS Sheffield	CREST
dsDNA antibodies	Serum 0.5ml	Overnight (Room Temp)	ELISA	<20 IU/ml	5	U.K.NEQAS Sheffield	SLE
Crithidia	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	U.K.NEQAS Sheffield	Confirmation of dsDNA antibodies
ENA screen	Serum 0.5ml	Overnight (Room Temp)	ELISA	Negative	5	U.K.NEQAS Sheffield	CTD
ENA profile (Ro/La/Sm/RNP/Jo-1/Scl70)	Serum 0.5ml	Overnight (Room Temp)	ELISA	Negative	5	U.K.NEQAS Sheffield	CTD
MCV antibodies	Serum 0.5ml	Overnight (Room Temp)	ELISA	<20 U/ml	5	U.K.NEQAS Sheffield	Rheumatoid arthritis (alternative to CCP)
ANCA	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	U.K.NEQAS Sheffield	Small vessel vasculitis
MPO antibodies	Serum 0.5ml	Overnight (Room Temp)	ELISA	Negative	5	U.K.NEQAS Sheffield	ANCA confirmation and monitoring
PR3 antibodies	Serum 0.5ml	Overnight (Room Temp)	ELISA	Negative	5	UK NEQAS	ANCA confirmation and monitoring
GBM antibodies	Serum 0.5ml	Overnight (Room Temp)	ELISA	<20 U/ml	5	U.K.NEQAS Sheffield	Goodpasture's syndrome
Cardiolipin antibodies (IgG and IgM)	Serum 0.5ml	Overnight (Room Temp)	ELISA	IgG <10 U/ml, IgM <7U/ml	5	U.K.NEQAS Sheffield	Anti phospholipid syndrome
Beta 2 Glycoprotein antibodies (IgG and IgM)	Serum 0.5ml	Overnight (Room Temp)	ELISA	<5 U/ml	5	U.K.NEQAS Sheffield	Anti phospholipid syndrome

Assay	Sample requirement (ml)	Sample handling /Transport	Methodology	Reference range	Turnaround Time	EQA	Clinical Utility
TTG (IgA)	Serum 0.5ml	Overnight (Room Temp)	ELISA	<10 U/ml	5	U.K.NEQAS Sheffield	Coeliac disease
TTG(IgG)	Serum 0.5ml	Overnight (Room Temp)	ELISA	<10 U/ml	5	U.K.NEQAS Sheffield	Coeliac disease in IgA deficient patients
Endomysial antibodies (IgA)	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	U.K.NEQAS Sheffield	Coeliac disease/ Dermatitis herpetiformis
Liver autoantibodies(GPC/LKM/SMA/AMA)	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	U.K.NEQAS Sheffield	Pernicious anaemia/Liver disease/ Autoimmune hepatitis/PBC
Adrenal antibodies	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	Sample exchange	Autoimmune Addison's and polyglandular autoimmunity
Pancreatic islet cell antibodies	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	UK NEQAS Sheffield	Type 1 diabetes /LADA
Ovarian antibodies	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	Sample exchange	Premature ovarian failure/ Polyglandular autoimmunity
Cardiac muscle antibodies	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	Sample exchange	Dressler's syndrome/post MI/Cardiomyopathy
Skeletal muscle antibodies	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	Sample exchange	Myasthenia gravis
Pemphigus antibodies	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	U.K.NEQAS Sheffield	Bullous skin disease
Pemphigoid antibodies	Serum 0.5ml	Overnight (Room Temp)	IIF	Negative	5	U.K.NEQAS Sheffield	Bullous skin disease

Assay	Sample requirement (ml)	Sample handling / Transport	Methodology	Reference range	Turnaround Time	EQA	Clinical Utility
CH50	Serum 0.5ml	Same day or transport frozen	Haemolytic assay	1000-2000	10	INSTAND International scheme	Complement deficiency
AP50	Serum 0.5ml	Same day or transport frozen	Haemolytic assay	80-200	10	INSTAND International scheme	Complement deficiency
C3/C4	Serum 0.5ml	Overnight (Room Temp)	Turbidimetry	0.75-1.65/0.14-0.54 g/L	5	UK NEQAS Sheffield	SLE/HAE/ Renal disease/ Vasculitis
C1q	Serum 0.5ml	Overnight (Room Temp)	RID	50-250 mg/L	10	INSTAND International scheme Sample exchange	Deficiency/Acquired angioedema/ Immune complex disease
C2	Serum 0.5ml	Overnight (Room Temp)	RID	14-25 mg/L	10	No EQA scheme	Deficiency/ Consumption/ Immune complex disease
C5	Serum 0.5ml	Overnight (Room Temp)	RID	90-172 mg/L	10	No EQA scheme	Terminal pathway deficiency
C6	Serum 0.5ml	Overnight (Room Temp)	RID	45-96 mg/L	10	No EQA scheme	Terminal pathway deficiency
C7	Serum 0.5ml	Overnight (Room Temp)	RID	55-85 mg/L	10	No EQA scheme	Terminal pathway deficiency
C8	Serum 0.5ml	Overnight (Room Temp)	RID	40-80 mg/L	10	No EQA scheme	Terminal pathway deficiency
C9	Serum 0.5ml	Overnight (Room Temp)	RID	50-250 mg/L	10	No EQA scheme	Terminal pathway deficiency
C1 esterase inhibitor (Immunochemical)	Serum 0.5ml	Overnight (Room Temp)	Turbidimetry	0.21-0.38g/l	10	UK NEQAS Sheffield	HAE & acquired angioedema
C1 esterase inhibitor (Functional)	Serum 0.5ml	Same day or transport frozen	ELISA	>68% normal	10	UK NEQAS Sheffield	Type 2 HAE & acquired angioedema
Factor H	Serum 0.5ml	Overnight (Room Temp)	RID	345-590 mg/L	10	Sample exchange	aHUS/DDD
Factor I	Serum 0.5ml	Overnight (Room Temp)	RID	38-58 mg/L	10	Sample exchange	Deficiency

Assay	Sample requirement (ml)	Sample handling / Transport	Methodology	Reference range	Turnaround Time	EQA	Clinical Utility
Factor B	Serum 0.5ml	Overnight (Room Temp)	RID	295-400 mg/L	10	No EQA Scheme or alternative	Deficiency
Anti-C1q antibodies	Serum 0.5ml	Overnight (Room Temp)	ELISA	<10 U/ml	10	INSTAND International External Quality Assessment	SLE with renal involvement
TCC (C5-9 complex)	EDTA Plasma (0.5ml)	Same day or transport frozen	ELISA	<180 ng/ml	10	INSTAND International External Quality Assessment	Complement activation
MBL	Serum 0.5ml	Overnight (Room Temp)	ELISA	<50ng/ml = deficiency, 50-100 ng/ml = equivocal, >100ng/ml = normal	10	No EQA scheme available	Recurrent infection especially in childhood

Assay	Sample requirement (ml)	Sample handling / Transport	Methodology	Reference range	Turnaround Time	EQA	Clinical Utility
Lymphocyte phenotypes	EDTA Whole blood (Adult 1ml, paediatric 1ml)	Same day/Overnight (Room temp)	Flowcytometry	Age related	2	NEQAS Leukocyte Immunophenotyping	Primary and secondary immunodeficiency
B cell memory phenotyping	EDTA Whole blood 2ml	Same day/Overnight (Room temp)	Flowcytometry	See report	2	Sample exchange	CVID
Naive T cells	EDTA Whole blood 1ml	Same day/Overnight (Room temp)	Flowcytometry	Age related	2	No EQA Scheme or alternative	Primary immunodeficiency/ monitoring T cell reconstitution
TCR alpha beta double negative T cells	EDTA Whole blood 1ml	Same day/Overnight (Room temp)	Flowcytometry	See report	2	No EQA Scheme or alternative	ALPS
Lymphocyte proliferation	Heparin Whole blood 2ml	Same day (Room temp) <i>Please contact the laboratory to prearrange this test. Please supply a healthy control sample.</i>	Flowcytometry	See report	4	No EQA Scheme or alternative	Immunodeficiency
Neutrophil function (DHR)	Heparin Whole blood 1ml	Same day (Room temp) <i>Please contact the laboratory to prearrange this test. Please supply a healthy control sample.</i>	Flowcytometry	Positive=Normal	2	No EQA Scheme or alternative	CGD
MHC Class 1 and 2 expression	EDTA Whole blood 1ml	Same day/Overnight (Room temp)	Flowcytometry	See report	2	No EQA Scheme or alternative	Bare lymphocyte syndrome
Adhesion markers (CD11a/11b/11c/18)	EDTA Whole blood 1ml	Same day/Overnight (Room temp)	Flowcytometry	See report	2	No EQA Scheme or alternative	Suspected adhesion molecule deficiency

Assay	Sample requirement (ml)	Sample handling / Transport	Methodology	Reference range	Turnaround Time	EQA	Clinical Utility
TCR V beta spectrotyping	EDTA Whole blood 2ml	Same day/Overnight (Room temp)	Flowcytometry	See report	2	No EQA Scheme or alternative	Primary immunodeficiency /monitoring T cell reconstitution
CD40 expression on B lymphocytes	EDTA Whole blood 4ml	Same day/Overnight (Room temp) <i>Please contact the laboratory to prearrange this test. Please supply a healthy control sample.</i>	Flowcytometry	See report	2	No EQA Scheme or alternative	CD40 deficiency
BTK on monocytes	EDTA Whole blood 4ml	Same day/Overnight (Room temp) <i>Please contact the laboratory to prearrange this test. Please supply a healthy control sample.</i>	Flowcytometry	See report	2	No EQA Scheme or alternative	XLA
L-selectin (CD62 ligand) shedding	Heparin Whole blood 4ml	Room temp. To reach the lab within 3 hours <i>Please contact the laboratory to prearrange this test. Please supply a healthy control sample.</i>	Flowcytometry	See report	2	No EQA Scheme or alternative	Suspected TLR signalling defect
CD40Ligand expression (CD4+ T cells)	Heparin Whole blood 4ml	Same day (Room temp) <i>Please contact the laboratory to prearrange this test. Please supply a healthy control sample.</i>	Flowcytometry	See report	3	No EQA Scheme or alternative	XL-HIGM syndrome (CD40L deficiency)
Total IgE	Serum 0.3 mls	Overnight (Room Temp)	FEIA	Age related	5	U.K.NEQAS Sheffield	Atopy/Allergy/Hyper IgE syndrome
Specific IgE (Entire Phadia catalogue available see http://www.phadia.com/en-	Serum 0.3 mls	Overnight (Room Temp)	FEIA	See report	5	U.K.NEQAS Sheffield	Type 1 Hyper-sensitivity/ allergy

GB/Allergens/ImmunoCAP-Allergens/	Volume depended on number of allergens requested						
ISAC Allergy Microarray See http://intapp3.phadia.com/en-GB/Laboratories/Allergy/Products/ImmunoCAP-ISAC/	Serum 0.5ml	Overnight (Room Temp)	Microarray	See report	30	UK NEQAS	Complex allergic disease/ idiopathic anaphylaxis
Tryptase	Serum 0.5 ml	Same day or frozen. For investigation of anaphylaxis - 3 samples at times 0, 2 and 24 hrs	FEIA (RAST)	See report	5	U.K.NEQAS Sheffield	Anaphylaxis/ Mastocytosis
Immunoglobulins (IgG/A/M)	Serum 0.5 ml	Overnight (Room Temp)	Turbidimetry	Age related	5	U.K.NEQAS Birmingham	Immunodeficiency & lymphoproliferative disorder
Assay	Sample requirement (ml)	Sample handling / Transport	Methodology	Reference range	Turnaround Time	EQA	Clinical Utility
IgD	Serum 1ml	Overnight (Room Temp)	RID	10.-73 mg/L	5	No EQA scheme available	Hyper IgD/Fever Syndromes
Electrophoresis	Serum 0.5 ml	Overnight (Room Temp)	CZE	Normal	5	U.K.NEQAS Sheffield	Myeloma/ MGUS
Immunofixation	Serum 0.5 ml	Overnight (Room Temp)	Immunofixation	Negative	5	U.K.NEQAS Birmingham, U.K.NEQAS Sheffield	Myeloma /MGUS
Bence Jones protein	Early Morning Urine 5 ml	Overnight (Room Temp)	Urine EPH	Negative	5	U.K.NEQAS Sheffield	Myeloma/ MGUS
Oligoclonal bands	Paired Serum & CSF (0.5 ml) Serum can be collected within 7 days of the CSF being taken.	Overnight (Room Temp)	Isoelectric focusing	Negative	5	U.K.NEQAS Sheffield	Multiple sclerosis

IgG subclasses	Serum 0.5ml	Overnight (Room Temp)	Turbidimetry	Age related	5	U.K.NEQAS Sheffield	Immunodeficiency
Alpha 1 antitrypsin	Serum (0.5 ml)	Overnight (Room Temp)	Turbidimetry	Age related	5	U.K.NEQAS Birmingham	Emphysema/ cirrhosis/ prolonged neo-natal jaundice/Family screening
Beta 2 microglobulin	Serum 0.5 ml	Overnight (Room Temp)	Turbidimetry	1.2-2.4 mg/L	5	U.K.NEQAS Sheffield	Monitoring myeloma and renal disease
Free light chains	Serum 1 ml	Overnight (Room Temp)	Turbidimetry	See report	5	U.K.NEQAS Sheffield	Monitoring plasma cell dyscrasia
Antibodies to Hib	Serum 0.5ml	Overnight (Room Temp)	ELISA	See report	10	U.K.NEQAS Sheffield	Suspected immunodeficiency/ response to vaccination
Antibodies to Tetanus	Serum 0.5ml	Overnight (Room Temp)	ELISA	See report	10	U.K.NEQAS Sheffield	Suspected immunodeficiency/ response to vaccination
Antibodies to Pneumococcus	Serum 0.5ml	Overnight (Room Temp)	ELISA	See report	10	U.K.NEQAS Sheffield	Suspected immunodeficiency/ response to vaccination

Molecular Immunology - Please contact the laboratory for further details
Please contact the department for current prices